

## ➤ **Esthetic & Soft Tissue Profile**

### 1- Evaluation of the effect of buccal corridor size on smile attractiveness.

Oshagh M, **Zarif NH**, Bahramnia F.

Eur J Esthet Dent. 2010 Winter;5(4):370-80.

### 2- Esthetic evaluation of lip position in silhouette with respect to profile divergence.

**Zarif Najafi H**, Sabouri SA, Ebrahimi E, Torkan S.

Am J Orthod Dentofacial Orthop. 2016 Jun;149(6):863-70. doi: 10.1016/j.ajodo.2015.11.028.

### 3- Esthetic evaluation of incisor inclination in smiling profiles with respect to mandibular position.

**Zarif Najafi H**, Oshagh M, Khalili MH, Torkan S.

Am J Orthod Dentofacial Orthop. 2015 Sep;148(3):387-95. doi: 10.1016/j.ajodo.2015.05.016.

### 4- The effects of forehead and neck position on esthetics of class I, II and III profiles.

**Salehi P**, Oshagh M, Aleyasin ZS, **Pakshir HR**.

Int J Esthet Dent. 2014 Autumn;9(3):412-25.

### 5- The association of oral health-related quality of life and self-perceived esthetic impairment with orthodontic treatment seeking.

Torkan S, Heidari S, **Pakshir H**.

Orthodontics (Chic.). 2012;13(1):226-33.

### 6- Photogrammetric Comparison of Facial Soft Tissue Profile before and after Protraction Facemask Therapy in Class III Children (6-11 Years Old).

Moshkelgosha V, Raof A, **Sardarian A**, **Salehi P**.

J Dent (Shiraz). 2017 Mar;18(1):7-16.

## ➤ **Tooth Movement**

1- Effect of low-level laser irradiation on the rate and short-term stability of rotational tooth movement in dogs.

**Salehi P**, Heidari S, Tanideh N, Torkan S.

Am J Orthod Dentofacial Orthop. 2015 May;147(5):578-86. doi: 10.1016/j.ajodo.2014.12.024.

2- Anchorage value of surgical titanium screws in orthodontic tooth movement.

**Hedayati Z**, Hashemi SM, Zamiri B, Fattahi HR.

Int J Oral Maxillofac Surg. 2007 Jul;36(7):588-92. Epub 2007 May 23.

3- Computerized Analysis of Digital Photographs for Evaluation of Tooth Movement.

Toodehzaeim MH, **Karandish M**, Karandish MN.

J Dent (Tehran). 2015 Mar;12(3):195-9.

4- Computerized Analysis of Digital Photographs for Evaluation of Tooth Movement.

Toodehzaeim MH, **Karandish M**, Karandish MN.

J Dent (Tehran). 2015 Mar;12(3):195-9.

## ➤ **Finite Element Study**

1- Maxillary anterior en masse retraction using different antero-posterior position of mini screw: a 3D finite element study.

**Hedayati Z**, Shomali M.

Prog Orthod. 2016 Dec;17(1):31. Epub 2016 Oct 3.

2- The Effects of Different Miniscrew Thread Designs and Force Directions on Stress Distribution by 3-dimensional Finite Element Analysis.

Fattahi H, **Ajami S**, Nabavizadeh Rafsanjani A.

J Dent (Shiraz). 2015 Dec;16(4):341-8.

3- Evaluating Stress Distribution Pattern in Periodontal Ligament of Maxillary Incisors during Intrusion Assessed by the Finite Element Method.

**Salehi P**, Gerami A, Najafi A, Torkan S.

J Dent (Shiraz). 2015 Dec;16(4):314-22.

4- Stress distributions of a bracket type orthodontic miniscrew and the surrounding bone under moment loadings: Three-dimensional finite element analysis.

**Ajami S**, Mina A, Nabavizadeh SA.

J Orthod Sci. 2016 Apr-Jun;5(2):64-9. doi: 10.4103/2278-0203.179416.

## ➤ **Bonding & Dental Material**

1- The Effect of Four Surface Treatment Methods on the Shear Bond Strength of Metallic Brackets to the Fluorosed Enamel.

**Zarif Najafi H**, Moshkelgosha V, Khanchemehr A, Alizade A, Mokhtar A.

J Dent (Shiraz). 2015 Sep;16(3 Suppl):251-9.

2- Effect of enamel surface treatment on the bond strength of metallic brackets in rebonding process.

**Pakshir HR**, **Zarif Najafi H**, Hajipour S.

Eur J Orthod. 2012 Dec;34(6):773-7. doi: 10.1093/ejo/cjr093. Epub 2011 Sep 12.

3- Evaluation of the effect of four surface conditioning methods on the shear bond strength of metal bracket to porcelain surface.

**Zarif Najafi H**, Oshagh M, Torkan S, Yousefipour B, Salehi R.

Photomed Laser Surg. 2014 Dec;32(12):694-9. doi: 10.1089/pho.2014.3782.

4- The effects of composite resin types and debonding pliers on the amount of adhesive remnants and enamel damages: a stereomicroscopic evaluation.

**Salehi P, Pakshir H**, Naseri N, Baherimoghaddam T.

J Dent Res Dent Clin Dent Prospects. 2013 Fall;7(4):199-205. doi: 10.5681/joddd.2013.032. Epub 2013 Dec 18.

5- Impact of nanohydroxyapatite on enamel surface roughness and color change after orthodontic debonding.

**Ajami S, Pakshir HR, Babanouri N.**

Prog Orthod. 2016;17:11. doi: 10.1186/s40510-016-0124-2. Epub 2016 Apr 11.

6- Comparison of the shear bond strength of orthodontic brackets in bonding and rebonding: preparation with laser versus conventional acid etch technique.

Oshagh M, **Pakshir HR, Najafi HZ**, Naseri MM, Nasrabadi NI, Torkan S.

Photomed Laser Surg. 2013 Aug;31(8):360-4. doi: 10.1089/pho.2013.3477. Epub 2013 Jul 18.

7- Evaluation of the effects of enameloplasty and air abrasion on sealant micro-leakage.

Soleymani A, Bahrololoomi Z, Javadinejadi S, **Salehi P**.

J Dent (Tehran). 2014 Nov;11(6):639-43. Epub 2014 Nov 30.

8- Evaluation of the Corrosion of Five Different Bracket-Archwire Combination: An In-vitro Analysis Using Inductively Coupled Plasma Mass Spectrometry.

Behroozi Z, **Momeni Danaei S, Sardarian AR**, Moshkelghosha V, Sardarian AR.

J Dent (Shiraz). 2016 Sep;17(3 Suppl):262-267.

9- Effect of Enamel Preparation and Light Curing Methods on Microleakage under Orthodontic Brackets.

**Pakshir H, Ajami S.**

J Dent (Tehran). 2015 Jun;12(6):436-46.

10- Relevance of Micro-leakage to Orthodontic Bonding - a Review.

## **M K.**

J Dent Biomater. 2016 Sep;3(3):254-260. Review.

### 11- In vitro evaluation of microleakage under ceramic and metal brackets bonded with LED and plasma arc curing.

Davari A, Yassaei S, **Karandish M**, Zarghami F.

J Contemp Dent Pract. 2012 Sep 1;13(5):644-9.

## **➤ Laser**

### 1- Effect of low-level laser irradiation on the rate and short-term stability of rotational tooth movement in dogs.

**Salehi P**, Heidari S, Tanideh N, Torkan S.

Am J Orthod Dentofacial Orthop. 2015 May;147(5):578-86. doi: 10.1016/j.ajodo.2014.12.024.

### 2- Comparison of the shear bond strength of orthodontic brackets in bonding and rebonding: preparation with laser versus conventional acid etch technique.

Oshagh M, **Pakshir HR, Najafi HZ**, Naseri MM, Nasrabadi NI, Torkan S.

Photomed Laser Surg. 2013 Aug;31(8):360-4. doi: 10.1089/pho.2013.3477. Epub 2013 Jul 18.

### 3- The efficiency of laser application on the enamel surface: a systematic review.

**Karandish M**.

J Lasers Med Sci. 2014 Summer;5(3):108-14. Review.

### 4- In vitro evaluation of microleakage around orthodontic brackets using laser etching and Acid etching methods.

Toodehzaeim MH, Yassaei S, **Karandish M**, Farzaneh S.

J Dent (Tehran). 2014 May;11(3):263-9. Epub 2014 May 31.

## ➤ **Bio Mechanic**

1- Evaluating Stress Distribution Pattern in Periodontal Ligament of Maxillary Incisors during Intrusion Assessed by the Finite Element Method.

**Salehi P**, Gerami A, Najafi A, Torkan S.

J Dent (Shiraz). 2015 Dec;16(4):314-22.

2- Synergic effect of salivary pH baselines and low pH intakes on the force relaxation of orthodontic latex elastics.

**Ajami S**, Farjood A, Zare M.

Dent Res J (Isfahan). 2017 Jan-Feb;14(1):68-72.

3- A comparison of force decay: elastic chain or tie-back method?

Oshagh M, **Ajami S**.

World J Orthod. 2010 Winter;11(4):e45-51.

4- Anchorage value of surgical titanium screws in orthodontic tooth movement.

**Hedayati Z**, Hashemi SM, Zamiri B, Fattahi HR.

Int J Oral Maxillofac Surg. 2007 Jul;36(7):588-92. Epub 2007 May 23.

5- Maxillary anterior en masse retraction using different antero-posterior position of mini screw: a 3D finite element study.

**Hedayati Z**, Shomali M.

Prog Orthod. 2016 Dec;17(1):31. Epub 2016 Oct 3.

6- Effect of Recycling and Autoclave Sterilization on the Unloading Forces of NiTi Closed-Coil Springs: An In Vitro Study.

**Momeni Danaei Sh**, Oshagh M, Khozaei A.

J Dent (Shiraz). 2013 Dec;14(4):184-90.

7- In vitro evaluation of force-expansion characteristics in a newly designed orthodontic expansion screw compared to conventional screws.

Oshagh M, **Momeni Danaei SH**, Hematian MR, Oshagh MR, Zade AH, Saboori AA.  
Indian J Dent Res. 2009 Oct-Dec;20(4):437-41. doi: 10.4103/0970-9290.59447.

8- The effect of vertical bracket positioning on torque and the resultant stress in the periodontal ligament--a finite element study.

**Sardarian A**, **Danaei SM**, Shahidi S, Boushehri SG, Geramy A.

Prog Orthod. 2014;15:50. doi: 10.1186/s40510-014-0050-0. Epub 2014 Aug 22.

## ➤ **Prevalence (Epidemiology)**

1- An Analytical Study on an Orthodontic Index: Index of Complexity, Outcome and Need (ICON).

Torkan S, **Pakshir HR**, Fattahi HR, Oshagh M, **Momeni Danaei S**, **Salehi P**, **Hedayati Z**.

J Dent (Shiraz). 2015 Sep;16(3):149-55.

2- Distribution of malocclusion types in 7-9-year-old Iranian children.

**Danaie SM**, Asadi Z, **Salehi P**.

East Mediterr Health J. 2006 Jan-Mar;12(1-2):236-40.

3- Orthodontic treatment needs of 12-15-year-old students in Shiraz, Islamic Republic of Iran.

**Danaei SM**, Amirrad F, **Salehi P**.

East Mediterr Health J. 2007 Mar-Apr;13(2):326-34.

4- Association between normative and self-perceived orthodontic treatment need among 12- to 15-year-old students in Shiraz, Iran.

**Momeni Danaei S**, **Salehi P**.

Eur J Orthod. 2010 Oct;32(5):530-4. doi: 10.1093/ejo/cjp139. Epub 2010 Jan 27.

5- Orthodontic treatment needs assessment of 14- to 18-year-old students in Shiraz, Iran.

**Danaei SM**, Oshagh M, Khoda MO, Karamifar AA, Maram SS, Borhan-Haghighi Z.

World J Orthod. 2010 Winter;11(4):e19-25.

6- The prevalence and distribution pattern of hypodontia among orthodontic patients in Southern Iran.

**Hedayati Z**, Dashlibrun YN.

Eur J Dent. 2013 Sep;7(Suppl 1):S78-82. doi: 10.4103/1305-7456.119080.

7- Comparison of tooth size discrepancies among different malocclusion groups.

Fattahi HR, **Pakshir HR**, **Hedayati Z**.

Eur J Orthod. 2006 Oct;28(5):491-5. Epub 2006 Jun 8.

8- Prevalence and Characteristics of Developmental Dental Anomalies in Iranian Orofacial Cleft Patients.

**Ajami S**, **Pakshir H**, Samady H.

J Dent (Shiraz). 2017 Sep;18(3):193-200.

9- Prevalence of malocclusions in school-age children attending the orthodontics department of Shiraz University of Medical Sciences.

Oshagh M, Ghaderi F, **Pakshir HR**, Baghmollai AM.

East Mediterr Health J. 2012 Dec 4;16(12):1245-50.

10- Relationship between Body Mass Index, Skeletal Maturation and Dental Development in 6- to 15- Year Old Orthodontic Patients in a Sample of Iranian Population.

**Hedayati Z**, Khalafinejad F.

J Dent (Shiraz). 2014 Dec;15(4):180-6.

## ➤ **Educational & Awareness Research**

1- Study skills and habits in Shiraz dental students; strengths and weaknesses.

Zarshenas L, **Danaei SM**, Mazarei E, **Zarif Najafi H**, Shakour M.

J Educ Health Promot. 2014 May 5;3:44. doi: 10.4103/2277-9531.131931. eCollection 2014.



2- Evaluating the clinical quality of departments as viewed by juniors and seniors of Shiraz dental school.

**Danaei SM**, Mazareie E, Hosseininezhad S, Nili M.

J Educ Health Promot. 2015 Dec 30;4:75. doi: 10.4103/2277-9531.171788. eCollection 2015.

3- Impact of an educational leaflet on parents' knowledge and awareness of children's orthodontic problems in Shiraz.

Oshagh M, **Danaei SM**, Ghahremani Y, Pajuhi N, Boushehri SG.

East Mediterr Health J. 2011 Feb;17(2):121-5.

4- Assessment of parental awareness about malocclusion in Shiraz, Islamic Republic of Iran.

**Danaei SM**, Oshagh M, Pajuhi N, Ghahremani Y, Bushehri GS.

East Mediterr Health J. 2011 Jul;17(7):599-603.

5- The impact of an educational pamphlet on the awareness of parents about 4–6-year-old children's oral habits and dentofacial discrepancies.

**Momeni Danaei S**, Faghihi F, Golkari A, Saki M.

J Dent Res Dent Clin Dent Prospects. 2016 Winter;10(1):57-64. doi: 10.15171/joddd.2016.009.

Epub 2016 Mar 16.

6- Orthodontic research output from iran in international and national journals.

Badri S, Akhoundi MS, Fard MJ, Momeni N, **Hedayati Z**, Vakili V.

J Dent (Tehran). 2014 Jan;11(1):67-74. Epub 2014 Jan 31.

7- Dental education and dentistry system in Iran.

**Pakshir HR**.

Med Princ Pract. 2003;12 Suppl 1:56-60.

## ➤ Treatment Need

1- Orthodontic treatment needs assessment of 14- to 18-year-old students in Shiraz, Iran.

**Danaei SM**, Oshagh M, Khoda MO, Karamifar AA, Maram SS, Borhan-Haghighi Z.  
World J Orthod. 2010 Winter;11(4):e19-25.

2- Association between normative and self-perceived orthodontic treatment need among 12- to 15-year-old students in Shiraz, Iran.

**Momeni Danaei S, Salehi P.**

Eur J Orthod. 2010 Oct;32(5):530-4. doi: 10.1093/ejo/cjp139. Epub 2010 Jan 27.

3- An Analytical Study on an Orthodontic Index: Index of Complexity, Outcome and Need (ICON).

Torkan S, **Pakshir HR**, Fattahi HR, Oshagh M, **Momeni Danaei S, Salehi P, Hedayati Z.**  
J Dent (Shiraz). 2015 Sep;16(3):149-55.

4- The use of index of orthodontic treatment need in an Iranian population.

**Hedayati Z**, Fattahi HR, Jahromi SB.

J Indian Soc Pedod Prev Dent. 2007 Mar;25(1):10-4.

5- The association of oral health-related quality of life and self-perceived esthetic impairment with orthodontic treatment seeking.

Torkan S, Heidari S, **Pakshir H.**

Orthodontics (Chic.). 2012;13(1):226-33.

6- Oral health in Iran.

**Pakshir HR.**

Int Dent J. 2004 Dec;54(6 Suppl 1):367-72.

7- Associations between normative and self-perceived orthodontic treatment needs in young-adult dental patients

Oshagh M, **Salehi P, Pakshir H**, Bazyar L, Rakhshan V.  
Korean J Orthod. 2011 Dec;41(6):440-446

## ➤ **Cleft**

1- Prevalence and Characteristics of Developmental Dental Anomalies in Iranian Orofacial Cleft Patients.

**Ajami S, Pakshir H**, Samady H.

J Dent (Shiraz). 2017 Sep;18(3):193-200.

2- The Impact of Type-D Personality on Oral Health-Related Quality of Life in Cleft Lip and Palate Adolescents.

**Ajami S**, Toraby F, Shavakhi M, Eslami N.

J Craniofac Surg. 2017 Oct 26. doi: 10.1097/SCS.0000000000004093. [Epub ahead of print]

3- Comparison of the Pharyngeal Airway Volume between Non-Syndromic Unilateral Cleft Palate and Normal Individuals Using Cone Beam Computed Tomography.

Shahidi S, **Momeni Danaie S**, Omidi M.

J Dent (Shiraz). 2016 Sep;17(3 Suppl):268-275.

## ➤ **Surgical Procedure**

1- Does mandibular osteotomy affect gonial angle in patients with class III deformity? Vertical ramus osteotomy versus sagittal split osteotomy.

Tabrizi R, **Pakshir H**, Behnia H, Akhlaghi S, Shahsavari N.

Int J Oral Maxillofac Surg. 2016 Aug;45(8):992-6. doi: 10.1016/j.ijom.2016.02.014. Epub 2016 Mar 22.

2- Does the Type of Maxillomandibular Deformity Influence Complication Rate in Orthognathic Surgery?

Tabrizi R, **Pakshir H**, Nasehi B.

## ➤ Radiology

1- Evaluation of Anatomic Variations in Maxillary Sinus with the Aid of Cone Beam Computed Tomography (CBCT) in a Population in South of Iran.

Shahidi S, Zamiri B, **Momeni Danaei S**, **Salehi S**, Hamedani S.

J Dent (Shiraz). 2016 Mar;17(1):7-15.

2- Comparison of the Pharyngeal Airway Volume between Non-Syndromic Unilateral Cleft Palate and Normal Individuals Using Cone Beam Computed Tomography.

Shahidi S, **Momeni Danaei S**, Omidi M.

J Dent (Shiraz). 2016 Sep;17(3 Suppl):268-275.

3- Cephalometric evaluation of class-III patients with chin cap and tongue guard.

**Danaei SM**, **Salehi P**.

J Indian Soc Pedod Prev Dent. 2005 Jun;23(2):63-6.

4- Accuracy of computerized automatic identification of cephalometric landmarks by a designed software.

Shahidi Sh, Oshagh M, Gozin F, **Salehi P**, **Danaei SM**.

Dentomaxillofac Radiol. 2013;42(1):20110187. doi: 10.1259/dmfr.20110187. Erratum in: Dentomaxillofac Radiol. 2013;42(4):20139010. Shahidi, S [corrected to Shahidi, Sh].

5- Measuring agreement between cervical vertebrae and hand-wrist maturation in determining skeletal age: reassessing the theory in patients with short stature.

**Danaei SM**, Karamifar A, **Sardarian A**, Shahidi S, Karamifar H, Alipour A, Ghodsi Boushehri S.

Am J Orthod Dentofacial Orthop. 2014 Sep;146(3):294-8. doi: 10.1016/j.ajodo.2014.05.023.

6- Effects of image enhancement on reliability of landmark identification in digital cephalometry.

Oshagh M, Shahidi SH, **Danaei SH**.

Indian J Dent Res. 2013 Jan-Feb;24(1):98-103. doi: 10.4103/0970-9290.114958.

### 7- Cephalometry in 14-18 Years Old Girls and Boys of Shiraz-Iran High School

VOJDANI, Z.; BAHMANPOUR, S.; **MOMENI, S.**; VASAGHI, A.; YAZDIZADEH, A.; KARAMIFAR, A.; NAJAFIFAR, A.; SETOODEHMARAM, S. & MOKHTAR, A.

Int. J. Morphol., 27(1):101-104, 2009.

## ➤ **Stability & Retention**

### 1- Evaluating the Stability of Open Bite Treatments and Its Predictive Factors in the Retention Phase during Permanent Dentition.

**Salehi P, Pakshir HR**, Hoseini SA.

J Dent (Shiraz). 2015 Mar;16(1):22-9.

### 2- Comparison of survival time between two types of orthodontic fixed retainer: a prospective randomized clinical trial.

**Salehi P, Zarif Najafi H**, Roeinpeikar SM.

Prog Orthod. 2013 Sep 11;14:25. doi: 10.1186/2196-1042-14-25.

## ➤ **Pain**

### 1- Comparison of the effects of preemptive acetaminophen, ibuprofen, and meloxicam on pain after separator placement: a randomized clinical trial.

**Zarif Najafi H**, Oshagh M, **Salehi P, Babanouri N**, Torkan S.

Prog Orthod. 2015;16:34. doi: 10.1186/s40510-015-0104-y. Epub 2015 Oct 14.

## ➤ **Root Resorption**

### 1- A Comparison of pical Root Resorption in Incisors after Fixed Orthodontic Treatment with Standard Edgewise and Straight Wire (MBT) Method.

Zahed Zahedani S, Oshagh M, **Momeni Danaei Sh**, Roeinpeikar S.

J Dent (Shiraz). 2013 Sep;14(3):103-10.

## ➤ **Third Molar**

1- Lower third molar eruption following orthodontic treatment.

**Salehi P, Danaie SM.**

East Mediterr Health J. 2008 Nov-Dec;14(6):1452-8.

## ➤ **Preventive**

1- Comparison of the antibacterial effects of persica mouthwash with chlorhexidine on streptococcus mutans in orthodontic patients.

**Salehi P., Momeni Danaie Sh.**

DARU Vol. 14, No. 4 2006.

2- A comparison of photographic, replication and direct clinical examination methods for detecting developmental defects of enamel.

Golkari A, Sabokseir A, **Pakshir HR**, Dean MC, Sheiham A, Watt RG.

BMC Oral Health. 2011 Apr 21;11:16. doi: 10.1186/1472-6831-11-16.

## ➤ **Malocclusion**

1- Skeletal and dentoalveolar features in patients with deep overbite malocclusion.

Fattahi H, **Pakshir H**, Afzali Baghdadabadi N, Shahian Jahromi S.

J Dent (Tehran). 2014 Nov;11(6):629-38. Epub 2014 Nov 30.

2- Comparison of tooth size discrepancies among different malocclusion groups.

Fattahi HR, **Pakshir HR, Hedayati Z.**

Eur J Orthod. 2006 Oct;28(5):491-5. Epub 2006 Jun 8.

3- Predominant dental and skeletal components associated with open-bite malocclusion

**Pakshir H**, Fattahi H, Jahromi SS, Baghdadabadi NA.

Journal of the World Federation of Orthodontists Dec 2014; 3(4): 169-173.

4- Comparison of natural head position in different anteroposterior malocclusions.

**Hedayati Z**, Paknahad M, Zorriasatine F.  
J Dent (Tehran). 2013 May;10(3):210-20.

4- Prevalence of malocclusions in school-age children attending the orthodontics department of Shiraz University of Medical Sciences.

Oshagh M, Ghaderi F, **Pakshir HR**, Baghmollai AM.  
East Mediterr Health J. 2012 Dec 4;16(12):1245-50.

### ➤ **Case Report**

1- Extraction of maxillary central incisors: an orthodontic-restorative treatment.

**Hedayati Z**, Zare M, Bahramnia F.  
Case Rep Dent. 2014;2014:268590. doi: 10.1155/2014/268590. Epub 2014 Oct 16.

### ➤ **Biology**

1- Assessment of the changes in alveolar bone quality after fixed orthodontic therapy: A trabecular structure analysis.

Haghnegahdar A, **Zarif Najafi H**, Sabet M, Saki M.  
J Dent Res Dent Clin Dent Prospects. 2016 Fall;10(4):201-206. doi: 10.15171/joddd.2016.032.  
Epub 2016 Dec 21.